

U. S. Corrosion Technologies, LLC
P. O. Box 551625
Dallas, Texas 75355-1625
(972) 271-7361 Fax: (972) 278-9721

Sand Blast™ Safety Data Sheet

1. IDENTIFICATION

Product Name: Sand Blast™
Product Numbers: 22601, 22602, 22604, 22605
Product Type and Use: Concrete Remover
Manufacturer: U.S. Corrosion Technologies, LLC
2638 National Drive, Garland, TX 75041
Telephone: 972-271-7361 Fax: 972-278-9721
Contact:
Emergency Telephone: CHEMTREC® USA (800) 424-9300
Outside US +1 (703) 527-3887

2. HAZARDS IDENTIFICATION

Hazard Classification

Health Hazard(s)

Skin Irritation Category 1B
Eye Irritation Category 1
Acute Toxicity, Inhalation Category 4

Physical Hazard(s)

Corrosive to metals Category 1

Hazard(s) not otherwise classified

None

Labeling

Signal Word: DANGER
Pictograms: Corrosion, Exclamation mark

Statements of Hazard

Hazard Statements

Causes severe skin burns and serious eye damage
Harmful if inhaled
May be corrosive to metals

Precautionary Statements

Wear protective gloves, eye and face protection. Avoid breathing mist or vapors. Use only outdoors or in a well ventilated area. Take off contaminated clothing and wash it before reuse. Wash thoroughly after handling. Keep only in original container. Absorb spillage to prevent material damage. Store in corrosive resistant container with resistant inner liner. Dispose of contents and container in accordance with applicable regulations.
If on skin: Rinse skin with water or shower. Immediately call a poison center or doctor.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.
If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell.
If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Percent by Wt.
Glycolic acid	79-14-1	10-50*
Sulfamic acid	5329-14-6	5-10*

* Exact percentage of composition has been withheld as a trade secret

4. FIRST AID MEASURES

General Advice: Causes severe skin burns and serious eye damage. Avoid contact. Avoid breathing vapors or mist.

Inhalation: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor.

Skin Contact: Remove contaminated clothing. Flush skin with plenty of water. Remove contaminated clothing and wash before reuse. Immediately call a poison center or doctor.

Eye Contact: Immediately flush cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.

Ingestion: Do not give anything by mouth to an unconscious person. Do not induce vomiting unless advised to do so by a doctor or poison control center. Rinse mouth. Immediately call a poison center or doctor.

5. FIRE FIGHTING MEASURES

Extinguishing Media: Product does not support combustion. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Suitable: Carbon Dioxide, Dry Chemical, and Foam

Unsuitable: Alcohol, Alcohol based solutions

Fire Fighting Procedures: As in any fire, wear self-contained breathing apparatus, pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool fire-exposed containers with water spray.

Unusual Fire and Explosion Hazards: Flammable hydrogen gas may be produced on contact with aluminum, tin, lead and zinc.

Hazardous Combustion/ Decomposition Products: Oxides of carbon, nitrogen and sulfur.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions / Protective Equipment / Emergency Procedures: Use caution as spills may be slippery. Ensure adequate ventilation. Use personal protective equipment.

Methods and materials for containment and cleaning up: Dike and contain large spills with inert absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer liquid to plastic containers. Flush surfaces with plenty of water to sanitary sewer

system (If permitted by local sewer regulations). Do not store or dispense into metal containers. Use clean non-sparking tools to collect absorbed material and transfer to a properly labeled container for recovery or disposal according to applicable regulations.

7. HANDLING AND STORAGE

HANDLING

Precautions for Safe Handling: Avoid skin and eye contact. Do not breathe mist or vapors. Use with adequate ventilation. Follow all SDS/label precautions.

STORAGE

Conditions to avoid: Store in a cool, dry, well-ventilated place in the original container. Do not transfer or store in metal containers. Keep container tightly closed when not in use. Avoid excess heating and high temperatures. Freezing will affect the physical condition but will not damage the material. Thaw and mix before using.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

No constituents of the product have an established PEL, TLV or other recommended exposure limit.

Engineering Controls: Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined areas.

Personal Protection

Respiratory Protection: None required under normal use conditions. In case of insufficient ventilation, wear a suitable NIOSH approved air purifying respirator with acid vapor cartridge.

Hand / Skin Protection: Wear impermeable gloves such as neoprene or nitrile rubber gloves. Gauntlets and apron may be worn depending on the extent of exposure.

Eye / Face Protection: Face shield with safety glasses with side-shields.

General Hygiene Measures: Avoid contact. Always wash hands and face before eating, drinking or smoking. Remove and wash contaminated clothing before re-use. An eyewash station and washing facilities should be readily accessible to the area of use. See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Transparent	Autoignition Temperature:	Not applicable
Physical State:	Non-viscous liquid	Volatile by volume (%):	100
Odor:	None	Vapor Density (Air=1):	1
Color:	Amber	Evaporation Rate (BuAc= 1):	<1
Viscosity, cSt @ 40°C:	Not established	Vapor Pressure, mmHg @23°C:	18
cSt @ 100°C:	Not established	Solubility in water:	Complete
pH:	<2	Octanol/Water Partition:	Not established
Boiling Point/ Range:	>200°F / 93°C	VOC Content (g/L) (%):	0 (0)
Melting Point:	>32°F / 0°C	Specific Gravity @15.6°C:	1.07
Flash Point:	Non-flammable	Pour Point:	Not established
Method:	Not applicable	Non-volatile by Volume (%):	0
Lower Explosive Limit, vol %:	Hydrogen, 4	Dielectric Strength:	Not applicable
Upper Explosive Limit, vol %:	Hydrogen, 75		

10. STABILITY AND REACTIVITY

Stability: Stable at ambient temperatures

Conditions to Avoid: Heat and direct sunlight.

Hazardous Polymerization: Will not occur.

Materials to Avoid: Strong bases/alkali, strong oxidizing agents, reducing agents, aluminum and other reactive metals, rubber, leather, chlorate, nitrates, sulfides and sulfites.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information: Not established

Ingredient Information

Glycolic acid: Orl-rat LD50 - 1950 mg/kg, Skn-rabbit OECD Test Guideline 404 Corrosive, Ihl-rat LC50 - 3.6 mg/L 4 hr, Eye-rabbit OECD Test Guideline 405 severe eye irritation

Sulfamic acid: Orl-rat LD50 - 3,160 mg/kg, Skn-rabbit OECD Test Guideline 404 moderate skin irritation, Eye-rabbit OECD Test Guideline 405 Moderate eye irritation

Acute Effects

Signs and Symptoms of Overexposure: Skin burns and serious eye damage, Coughing, Sneezing

Inhalation: Vapors and mist may cause severe respiratory burns with nasal discomfort and discharge, coughing and sneezing, difficult breathing and shortness of breath.

Skin Contact: Causes redness, blistering, pain and burns.

Eye Contact: Causes tearing, redness, pain, swelling of the conjunctiva and burns. May cause blindness.

Ingestion: Causes burns to the esophagus and stomach with pain, nausea, vomiting and diarrhea. May be fatal.

Primary Route(s) of Exposure: Eyes, Skin, Inhalation

Primary Route(s) of Entry: Inhalation, Ingestion

Target Organs: Skin, eyes, respiratory system

Chronic Effects: Glycolic acid - reproductive toxicity – effects on fetus: Specific Developmental Abnormalities: Musculoskeletal system.

Carcinogenicity: Not established

Medical Conditions Aggravated by Exposure: May aggravate existing skin, eye and respiratory conditions including asthma and dermatitis.

12. ECOLOGICAL INFORMATION

Product Data: Not established

Ingredient Data

Glycolic acid: Toxicity to Fish LC50 - Danio rerio (zebra fish) - 5,000 mg/l - 96 h

Sulfamic acid: Toxicity to Fish LC50 - Pimephales promelas (fathead minnow) - 70.3 mg/l - 96 h

Persistence and degradability: Not biodegradable. Glycolic and sulfamic acids will be neutralized by alkalinity present in natural environment.

Mobility in soil: The acids will permeate soil, dissolving some soil material and will then neutralize.

13. DISPOSAL CONSIDERATIONS

Product: Dispose of in accordance with applicable regulations.

Container: Empty remaining contents. Empty containers should be taken for local recycling, recovery or waste disposal.

14. TRANSPORT INFORMATION

Road Transport

DOT Hazard Class: 8

Description: Corrosive Liquid

UN-No.: UN1760

Proper Shipping Name: Corrosive Liquids n.o.s., 8, PG II, (Containing Glycolic acid and Sulfamic acid)

Sea Transport

IMDG/GGV See Class: 8

UN-No.: UN1760

Packing Group: III

Proper Shipping Name: Corrosive Liquids n.o.s., 8, PG II, (Containing Glycolic acid and Sulfamic acid)

Air Transport

ICAO/IATA Class: 8

UN-No.: UN1760

Packing Group: III

Shipping Name: Corrosive Liquids n.o.s., 8, PG II, (Containing Glycolic acid and Sulfamic acid)

15. REGULATORY INFORMATION

U.S. Federal Regulations

Toxic Substances Control Act (TSCA): All components are included on the Inventory

Superfund Amendments and Reauthorization Act (SARA) Title III:

Immediate Hazard	Delayed Hazard	Fire Hazard	Pressure Hazard	Reactivity Hazard
Yes	No	No	No	No

16. OTHER INFORMATION

Prepared by: U.S. Corrosion Technologies, LLC Technical Services Department

Revision Date: 8/18/2016

Supersedes Date: 5/31/2016

Revision Indicator: Update to OSHA 2012 SDS

National Fire Protection Association (704)

Health: 3

Flammability: 1

Reactivity: 0

Other: -

The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results and assume no liability for damage incurred by use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Final determination of suitability of the chemical and application of such products is the sole responsibility of the user. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or any other nature are made hereunder with respect to the information contained herein or the chemical to which the information refers. It is the sole responsibility of the user to comply with all applicable Federal, State and Local Laws and Regulations. Any questions with regards to information contained herein should be referred to: U. S. Corrosion Technologies, LLC (972) 271-7361.